

VERONICA BEARD

TEST DESIGN - 4PCTEST & DENIM LOAD
TRAINING

60665
J24069420900SN

Denim & Non Denim Name: TEST DESIGN - 4PCTEST & DENIM LOAD TRAINING
Season: 2406
Department: Veronica Beard Jeans
Partner: FRONTLINE CLOTHING LTD
Design Main Material (Material Content): 942 7 OZ SUPER STRETCH PFD TWILL (97% COTTON 3% ELASTANE)
Finish / Wash: STONE



Sample Request Type: 4 PC. Test
Description: MEASUREMENTS
Measurements: MEASUREMENTS
Sample Size: 28
Color: STONE
Sample Request No: 4_PC
Submit No: 1st Submit
Sample Status: In Progress
of Samples: 4.000
UOM:
Receive Date:
Receive By:
Review Date:
Review By:
Sample Due Date (X-FTY): 04/26/2024
Partner: UNITED WASH & DYE
Approve Date:
Approve By:

Notes

Sample Request with Images: 60665 TEST DESIGN - 4PCTEST & DENIM LOAD TRAINING - UNITED WASH & DYE - 4 PC. Test - STNE_ - In Progress							Sample Size: 28 - 1 Inch/CM: Inch			
POM	Description	POM Comments	To+	To-	28	Sample	Sample Variance	Revision	POM Notes	
0001	Waist Circumference At Center WB		1/2	1/2	30					
0002	SS from Front Edge Along Waist Seam on the Fly Side		1/8	1/8	7 1/4					
2420	Low Hip Placement from Waist Top Edge		1/8	1/8	8 1/2					
2430	Low Hip Circumference, 3 Point		1/2	1/2	39 1/2					
0003	Front Rise, from Waist Top Edge, Measured Straight		1/4	1/4	12 1/4					
0004	Back Rise, from Waist Top Edge, Measured Straight		1/4	1/4	16					
2610	Thigh Circumference, 1" from Rise Seam		3/8	3/8	23 5/8					
2620	Low Thigh Circumference, 6" from Rise Seam		1/4	1/4	20 7/8					
2660	Knee Circumference, 13" from Rise Seam		1/4	1/4	19 1/4					
2690	Leg Opening Circumference		1/4	1/4	17 1/4					
1	Inseam		1/2	1/2	27					
6890	Hem Height		1/8	1/8	3/8					
1	WB Height		1/8	1/8	1 3/4					
0005	Fly Length from Waist Seam		1/4	1/4	6 1/2					
4660	Zipper Length		1/4	1/4	5 3/4					
5560	Fly Width		1/8	1/8	1 5/8					
0006	Front Pocket Placement from SS to Pocket Opening at Waist Seam		1/8	1/8	3 5/8					
0007	Front Pocket Placement below Waist Seam at SS		1/8	1/8	2 1/2					
0008	Front Pocket Topstitch Height Below Waist Seam at Tallest		1/8	1/8	9 3/4					
1	Front Pocket Topstitch Height Below Waist Seam at Side By CF		1/8	1/8	8 1/2					
0009	Front Pocket Topstitch Width at Bottom	ABOVE CUT CORNERS	1/8	1/8	5 7/8					
2	Front Pocket Topstitch Width At Bottom (Along Bottom Edge)	ALONG BOTTOM EDGE	1/8	1/8	4 7/8					
1	Belt Loop Length		1/8	1/8	2 1/2					
2	Belt Loop Width		1/8	1/8	3/8					
5730	Yoke Height at CB		1/8	1/8	2 3/8					
5740	Yoke Height at SS		1/8	1/8	1/2					

Sample Request with Images: 60665 TEST DESIGN - 4PCTEST & DENIM LOAD TRAINING - UNITED WASH & DYE - 4 PC. Test - STNE_ - In Progress							Sample Size: 28 - 1 Inch/CM: Inch			
POM	Description	POM Comments	Tol+	Tol-	28	Sample	Sample Variance	Revision	POM Notes	
5660	Back Pocket Width at Top		1/8	1/8	6 1/2					
5670	Back Pocket Width at Bottom	ABOVE CUT CORNERS	1/8	1/8	5 1/2					
3	Back Pocket Width At Bottom (Along Bottom Edge)	ALONG BOTTOM EDGE	1/8	1/8	4					
5680	Back Pocket Height at Sides		1/8	1/8	5 5/8					
5690	Back Pocket Height at Center		1/8	1/8	6 5/8					
5700	Back Pocket Below Yoke Seam, Closest to CB		1/8	1/8	1 1/4					
5710	Back Pocket Below Yoke Seam, Closest to SS		1/8	1/8	2 1/4					
5720	Back Pocket Placement from CB at Top of Pocket		1/8	1/8	1 1/8					

Sample Request with Images: 60665 TEST DESIGN - 4PCTEST & DENIM LOAD TRAINING - UNITED WASH & DYE - 4 PC. Test - STNE_ - In Progress							Sample Size: 28 - 2 Inch/CM: Inch			
POM	Description	POM Comments	Tol+	Tol-	28	Sample	Sample Variance	Revision	POM Notes	
0001	Waist Circumference At Center WB		1/2	1/2	30					
0002	SS from Front Edge Along Waist Seam on the Fly Side		1/8	1/8	7 1/4					
2420	Low Hip Placement from Waist Top Edge		1/8	1/8	8 1/2					
2430	Low Hip Circumference, 3 Point		1/2	1/2	39 1/2					
0003	Front Rise, from Waist Top Edge, Measured Straight		1/4	1/4	12 1/4					
0004	Back Rise, from Waist Top Edge, Measured Straight		1/4	1/4	16					
2610	Thigh Circumference, 1" from Rise Seam		3/8	3/8	23 5/8					
2620	Low Thigh Circumference, 6" from Rise Seam		1/4	1/4	20 7/8					
2660	Knee Circumference, 13" from Rise Seam		1/4	1/4	19 1/4					
2690	Leg Opening Circumference		1/4	1/4	17 1/4					
1	Inseam		1/2	1/2	27					
6890	Hem Height		1/8	1/8	3/8					
1	WB Height		1/8	1/8	1 3/4					
0005	Fly Length from Waist Seam		1/4	1/4	6 1/2					
4660	Zipper Length		1/4	1/4	5 3/4					

Sample Request with Images: 60665 TEST DESIGN - 4PCTEST & DENIM LOAD TRAINING - UNITED WASH & DYE - 4 PC. Test - STNE_ - In Progress								Sample Size: 28 - 2 Inch/CM: Inch		
POM	Description	POM Comments	Tol+	Tol-	28	Sample	Sample Variance	Revision	POM Notes	
5560	Fly Width		1/8	1/8	1 5/8					
0006	Front Pocket Placement from SS to Pocket Opening at Waist Seam		1/8	1/8	3 5/8					
0007	Front Pocket Placement below Waist Seam at SS		1/8	1/8	2 1/2					
0008	Front Pocket Topstitch Height Below Waist Seam at Tallest		1/8	1/8	9 3/4					
1	Front Pocket Topstitch Height Below Waist Seam at Side By CF		1/8	1/8	8 1/2					
0009	Front Pocket Topstitch Width at Bottom	ABOVE CUT CORNERS	1/8	1/8	5 7/8					
2	Front Pocket Topstitch Width At Bottom (Along Bottom Edge)	ALONG BOTTOM EDGE	1/8	1/8	4 7/8					
1	Belt Loop Length		1/8	1/8	2 1/2					
2	Belt Loop Width		1/8	1/8	3/8					
5730	Yoke Height at CB		1/8	1/8	2 3/8					
5740	Yoke Height at SS		1/8	1/8	1/2					
5660	Back Pocket Width at Top		1/8	1/8	6 1/2					
5670	Back Pocket Width at Bottom	ABOVE CUT CORNERS	1/8	1/8	5 1/2					
3	Back Pocket Width At Bottom (Along Bottom Edge)	ALONG BOTTOM EDGE	1/8	1/8	4					
5680	Back Pocket Height at Sides		1/8	1/8	5 5/8					
5690	Back Pocket Height at Center		1/8	1/8	6 5/8					
5700	Back Pocket Below Yoke Seam, Closest to CB		1/8	1/8	1 1/4					
5710	Back Pocket Below Yoke Seam, Closest to SS		1/8	1/8	2 1/4					
5720	Back Pocket Placement from CB at Top of Pocket		1/8	1/8	1 1/8					

Sample Request with Images: 60665 TEST DESIGN - 4PCTEST & DENIM LOAD TRAINING - UNITED WASH & DYE - 4 PC. Test - STNE_ - In Progress								Sample Size: 28 - 3 Inch/CM: Inch		
POM	Description	POM Comments	Tol+	Tol-	28	Sample	Sample Variance	Revision	POM Notes	
0001	Waist Circumference At Center WB		1/2	1/2	30					
0002	SS from Front Edge Along Waist Seam on the Fly Side		1/8	1/8	7 1/4					
2420	Low Hip Placement from Waist Top Edge		1/8	1/8	8 1/2					
2430	Low Hip Circumference, 3 Point		1/2	1/2	39 1/2					

Sample Request with Images: 60665 TEST DESIGN - 4PCTEST & DENIM LOAD TRAINING - UNITED WASH & DYE - 4 PC. Test - STNE_ - In Progress							Sample Size: 28 - 3 Inch/CM: Inch			
POM	Description	POM Comments	To+	To-	28	Sample	Sample Variance	Revision	POM Notes	
0003	Front Rise, from Waist Top Edge, Measured Straight		1/4	1/4	12 1/4					
0004	Back Rise, from Waist Top Edge, Measured Straight		1/4	1/4	16					
2610	Thigh Circumference, 1" from Rise Seam		3/8	3/8	23 5/8					
2620	Low Thigh Circumference, 6" from Rise Seam		1/4	1/4	20 7/8					
2660	Knee Circumference, 13" from Rise Seam		1/4	1/4	19 1/4					
2690	Leg Opening Circumference		1/4	1/4	17 1/4					
1	Inseam		1/2	1/2	27					
6890	Hem Height		1/8	1/8	3/8					
1	WB Height		1/8	1/8	1 3/4					
0005	Fly Length from Waist Seam		1/4	1/4	6 1/2					
4660	Zipper Length		1/4	1/4	5 3/4					
5560	Fly Width		1/8	1/8	1 5/8					
0006	Front Pocket Placement from SS to Pocket Opening at Waist Seam		1/8	1/8	3 5/8					
0007	Front Pocket Placement below Waist Seam at SS		1/8	1/8	2 1/2					
0008	Front Pocket Topstitch Height Below Waist Seam at Tallest		1/8	1/8	9 3/4					
1	Front Pocket Topstitch Height Below Waist Seam at Side By CF		1/8	1/8	8 1/2					
0009	Front Pocket Topstitch Width at Bottom	ABOVE CUT CORNERS	1/8	1/8	5 7/8					
2	Front Pocket Topstitch Width At Bottom (Along Bottom Edge)	ALONG BOTTOM EDGE	1/8	1/8	4 7/8					
1	Belt Loop Length		1/8	1/8	2 1/2					
2	Belt Loop Width		1/8	1/8	3/8					
5730	Yoke Height at CB		1/8	1/8	2 3/8					
5740	Yoke Height at SS		1/8	1/8	1/2					
5660	Back Pocket Width at Top		1/8	1/8	6 1/2					
5670	Back Pocket Width at Bottom	ABOVE CUT CORNERS	1/8	1/8	5 1/2					
3	Back Pocket Width At Bottom (Along Bottom Edge)	ALONG BOTTOM EDGE	1/8	1/8	4					
5680	Back Pocket Height at Sides		1/8	1/8	5 5/8					

Sample Request with Images: 60665 TEST DESIGN - 4PCTEST & DENIM LOAD TRAINING - UNITED WASH & DYE - 4 PC. Test - STNE_ - In Progress							Sample Size: 28 - 3 Inch/CM: Inch			
POM	Description	POM Comments	Tol+	Tol-	28	Sample	Sample Variance	Revision	POM Notes	
5690	Back Pocket Height at Center		1/8	1/8	6 5/8					
5700	Back Pocket Below Yoke Seam, Closest to CB		1/8	1/8	1 1/4					
5710	Back Pocket Below Yoke Seam, Closest to SS		1/8	1/8	2 1/4					
5720	Back Pocket Placement from CB at Top of Pocket		1/8	1/8	1 1/8					

Sample Request with Images: 60665 TEST DESIGN - 4PCTEST & DENIM LOAD TRAINING - UNITED WASH & DYE - 4 PC. Test - STNE_ - In Progress							Sample Size: 28 - 4 Inch/CM: Inch			
POM	Description	POM Comments	Tol+	Tol-	28	Sample	Sample Variance	Revision	POM Notes	
0001	Waist Circumference At Center WB		1/2	1/2	30					
0002	SS from Front Edge Along Waist Seam on the Fly Side		1/8	1/8	7 1/4					
2420	Low Hip Placement from Waist Top Edge		1/8	1/8	8 1/2					
2430	Low Hip Circumference, 3 Point		1/2	1/2	39 1/2					
0003	Front Rise, from Waist Top Edge, Measured Straight		1/4	1/4	12 1/4					
0004	Back Rise, from Waist Top Edge, Measured Straight		1/4	1/4	16					
2610	Thigh Circumference, 1" from Rise Seam		3/8	3/8	23 5/8					
2620	Low Thigh Circumference, 6" from Rise Seam		1/4	1/4	20 7/8					
2660	Knee Circumference, 13" from Rise Seam		1/4	1/4	19 1/4					
2690	Leg Opening Circumference		1/4	1/4	17 1/4					
1	Inseam		1/2	1/2	27					
6890	Hem Height		1/8	1/8	3/8					
1	WB Height		1/8	1/8	1 3/4					
0005	Fly Length from Waist Seam		1/4	1/4	6 1/2					
4660	Zipper Length		1/4	1/4	5 3/4					
5560	Fly Width		1/8	1/8	1 5/8					
0006	Front Pocket Placement from SS to Pocket Opening at Waist Seam		1/8	1/8	3 5/8					
0007	Front Pocket Placement below Waist Seam at SS		1/8	1/8	2 1/2					
0008	Front Pocket Topstitch Height Below Waist Seam at Tallest		1/8	1/8	9 3/4					

Sample Request with Images: 60665 TEST DESIGN - 4PCTEST & DENIM LOAD TRAINING - UNITED WASH & DYE - 4 PC. Test - STNE_ - In Progress							Sample Size: 28 - 4 Inch/CM: Inch			
POM	Description	POM Comments	To+	To-	28	Sample	Sample Variance	Revision	POM Notes	
1	Front Pocket Topstitch Height Below Waist Seam at Side By CF		1/8	1/8	8 1/2					
0009	Front Pocket Topstitch Width at Bottom	ABOVE CUT CORNERS	1/8	1/8	5 7/8					
2	Front Pocket Topstitch Width At Bottom (Along Bottom Edge)	ALONG BOTTOM EDGE	1/8	1/8	4 7/8					
1	Belt Loop Length		1/8	1/8	2 1/2					
2	Belt Loop Width		1/8	1/8	3/8					
5730	Yoke Height at CB		1/8	1/8	2 3/8					
5740	Yoke Height at SS		1/8	1/8	1/2					
5660	Back Pocket Width at Top		1/8	1/8	6 1/2					
5670	Back Pocket Width at Bottom	ABOVE CUT CORNERS	1/8	1/8	5 1/2					
3	Back Pocket Width At Bottom (Along Bottom Edge)	ALONG BOTTOM EDGE	1/8	1/8	4					
5680	Back Pocket Height at Sides		1/8	1/8	5 5/8					
5690	Back Pocket Height at Center		1/8	1/8	6 5/8					
5700	Back Pocket Below Yoke Seam, Closest to CB		1/8	1/8	1 1/4					
5710	Back Pocket Below Yoke Seam, Closest to SS		1/8	1/8	2 1/4					
5720	Back Pocket Placement from CB at Top of Pocket		1/8	1/8	1 1/8					